

SAM ya sabe contar

SAM ha aprendido a contar

SAM incluye ahora nuevos operadores lógicos.

Para la condición «Envíos», ahora es posible crear los siguientes tipos de objetivos:

- contactos que han recibido más de 3 correos electrónicos;
- contactos que han recibido más de 4 correos electrónicos en los últimos 30 días.

Conditions

Select records where all of the following apply

Individual Type is equal to Individual
 and Shipments Shipment having count is greater than 3
 and Shipments Date is within last 30 days

Al seleccionar la entidad «Envíos» en el motor de consulta, encontrará una nueva opción con la que podrá utilizar operadores de cálculo.

The image shows a dropdown menu with two columns of options. The left column contains various attributes, and the right column contains categories with right-pointing chevrons. The 'Shipments' option in the right column is highlighted, and a mouse cursor is pointing at it. The 'Shipment having count' option in the left column is highlighted with a pink box.

Shipment mode	Indicators>
Shipment mode type	Contact criterion>
Available for tickets	Sales history>
Available for documents	Product family>
Max time to performance	Tarification>
Delivery in days	Events>
State	Visits>
Date	Visit pass>
Reference number	Season tickets>
Immediate shipment	Memberships>
Email	Service>
Campaign	Package>
Campaign start date	Non dated pass>
Campaign end date	Timeslot Pass>
Response code	Voucher>
Shipment having count	Payment details>
	Shipments>
	Tickets>
	Interaction>
	Remove>
	Intersection with>

Estos son los operadores de cálculo disponibles:

- igual a
- entre
- menor que
- menor que o igual a
- mayor que
- mayor que o igual a

Conditions

Select records where all of the following apply

Individual Type is equal to Individual
and Shipments Shipment having count is equal to [enter value]

- Equal
- Between
- LessThan
- LessOrEqual
- GreaterThan
- GreaterOrEqual

Utilización de los operadores de cálculo

- Los operadores de cálculo no pueden utilizarse en grupos ni en subconsultas. Esto quiere decir que para consultas complejas que requieran la creación de grupos o subconsultas tendrá que recurrir a las funciones que permiten combinar objetivos entre ellos, tales como «Borrar los contactos de la lista» o «Dejar el grupo de contacto asociado al objetivo».
- En caso de que no sea compatible la operación de cálculo que intente llevar a cabo, SAM le advertirá.